




































EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
11	260	450	B3100	Adjustable Clevis Hanger	 
11B - Plain Carbon Steel (1/2" - 18")					
11G - Electro-Galvanized (1/2" - 24")					
11SS - T304 Stainless Steel(1/2" - 12")					
11GI	260	450	B3100	Adjustable Clevis Hanger, Import	
11GI - Electro-Galv import (1/2" - 12")					
110	65	440	B3104	Clevis Hanger Light Weight	 
110B - Plain Finish (1/2" - 4")		-			
110G - Electro Galv (1/2" - 4")		441			
110GI	65	440	B3104	Galvanized Light Weight Clevis Hanger (Imported)	
110GI - Electro Galv (1/2" - 4")		-			
110CTI	CT-65	442	B3104CT	Light Weight Clevis Hanger for Copper Tubing (Imported)	
110CTI - Copper Gard (1/2" - 6")					
129CT	-	-	-	Van (Bell Type) hanger Copper Guard	
129CT - Copper Gard (1/2" - 1")					
137	137	90	B3188	Standard U-Bolt	
137G - Electro-Galvanized (1/2" - 12")		91			
137SS - T304 Stainless Steel (1/2" - 12")					
137DIP	1375	90S	B3188DI	U-Bolt for Ductile Iron Pipe	
137DIP SX - T-316 Stainless Steel (4" - 12")					
21L	95	250	B351L	C-Clamp W/ Locknut	  
21LSS - T-304 Stainless Steel (3/8" - 1/2")					
22R	89-X	359	B3367	Retaining Strap	 
21RG - Electro-Galvanized(3/8" Rod x 8"-14")					
231G	-	825	-	Two Hole Pipe Strap	
231G - Electro-Galvanized (1/2" - 4")					

















EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
231CT <i>231CT- Copper Plated (1/2" - 2")</i>	-	-	-	Copper Two Hole Tubing Strap	
242 <i>242G- Electro-Galvanized (5" x 8")</i>	-	-	-	Boca Safety Plate (Regular)	
272 <i>272B - Plain Finish (4" - 12")</i> <i>272G - Electro-Galvanized (4" - 18")</i>	181	470	B3110	Adjustable Roller Hanger	 
310 <i>310G - Electro-Galvanized (1/2" - 3")</i> <i>310SS - T304 Stainless Steel (1/2" - 4")</i>	69	151	B3170	Emlok™ Swivel Hanger	 
310PC <i>310PC- Plastic Coated (1/2" - 2")</i>	-	153	-	Plastic Coated Emlok™ Swivel Hanger	 
310CTI <i>310CTI - Copper Gard (1/2" - 6")</i>	CT-69	152	B3170CT	Swivel Hanger for Copper Tubing (Imported)	
310 - NFPA <i>310NF - Electro Galv -(2-1/2"-4" [3/8" nut] 5"- 8" [1/2" nut])</i>	69	141	B3170NF	Emlok™ Swivel Hanger For National Fire Protection	 
310NFPC <i>310NFPC - Plastic Coated (2-1/2")</i>	69	140	B3170NF		 
31 <i>31SS - T-304 Stainless (5" - 6")</i>	-	180 181	B3172	Adjustable Band Hanger	 
41A <i>41AB - Plain Malleable Iron (3/8" - 1/2")</i> <i>41AG - Electro-Galvanized (3/8" - 1/2")</i> <i>41ACT - Copper Gard (3/8 - 1/2")</i>	128R	940 941	B3199	Hanger Flange	
41H <i>41HB - Plain Malleable Iron (1/2" - 4")</i>	138R	508R	B3198H	Split Ring Hanger Hinged	
41HCT <i>41HCT - Copper Gard (1/2" - 4")</i>	CT-138R	512H	B3198HCT	Split Ring Hanger for Copper Tubing Hinged	



EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
428KT	-	-	-	Adjustable Pipe Saddle Support Kit	
<i>428KTHDG - Hot-Dip Galv (Size 4, 6, 8)</i>					
429KTU	-	-	-	Adjustable Pipe Saddle Support W/ U-Bolt Kit	
<i>429KTUHDG - Hot-Dip Galv (Size 3, 8)</i>					
50	261	550 551	B3373	Riser Clamp	
<i>50B - Plain Carbon Steel (1/2" - 12")</i>					
<i>50G - Electro-Galvanized (1/2" - 12")</i>					
<i>50SS - T-304 Stainless Steel (1/2" - 12")</i>					
50CTI	CT-121	552	B3373CT	Riser Clamp for Copper Tubing (Imported)	
<i>50CTI - Copper Gard (1/2" - 6")</i>					
51	135	100	B655	Rod Coupling	
<i>51G - Electro-Galvanized (3/8" - 1/2")</i>					
51R	135R	105	B656	Reducing Rod Coupling	
<i>51R - Electro-Galvanized (3/8" to 1/4" Reduction)</i>					
52	-	130	-	Round Steel Washer	
<i>52G - Electro-Galvanized (3/8" - 3/4")</i>					
52L	-	134	-	Lock Washer	
<i>52LG - Electro-Galvanized (3/8" - 3/4")</i>					
54	146	20	-	Continuous Threaded Rod	
<i>54G - Electro-Galvanized (3/8"-3/4" x 10')</i>					
56	Hex Nut	110	-	Standard Hex Nut Packaged	
<i>56G - Electro-Galvanized (3/8" - 3/4")</i>					
61	93	360	B3303	Wide Mouth Beam Clamp	
<i>61B - Plain Malleable Iron (3/8" - 3/4")</i>	-				
<i>61G - Electro-Galvanized (3/8" - 3/4")</i>	94				



EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
62	92	350	B3034	Junior Top Beam Clamp	 
62B - Plain Malleable Iron (3/8" - 3/4")					
62G - Electro-Galvanized (3/8" - 7/8")					
62SS - T-304 Stainless Steel (1/4" - 3/4")					
63	AS-85	-	B444	Rod Support Clamp	
63G - Electro-Galvanized (1/4" - 3/8")					
66L	66	900	B3083	Welding Beam Attachment (W/O Nut or Bolt)	 
66L - Plain Carbon Steel (3/8" - 1-1/4")					
73	-	47S	-	Drop In Anchor	
73G - Electro-Galvanized (3/8" - 1/2")					
7001	AS200EH	1011	B22SH	1-5/8"x1-5/8" Slotted 12ga Strut Channel	 
7001P - Painted (12ga, 10'±20')					
7001Z - Zinc Plated (12ga, 10'±20')					
7001SS - T304 Stainless Steel (12ga, 10')					
7201	AS500EH	1311	B54SH	1-5/8"x13/16" Slotted 14ga Strut Channel	 
7201P - Painted (14ga, 10'±20')					
7201Z - Zinc Plated (14ga, 10'±20')					
7201SS - T-304 Stainless (14ga, 10')					
8000	AS-NS	3001	N/WO Series	Strut Nut	
8000Z - Zinc Plated (1/4" - 3/4")		-			
		3011			
8100	AS-RS	3101	N221	Spring Strut Nut	
8100Z - Zinc Plated (1/4" - 3/4")		-	-		
8100SX - T-316 Stainless (3/8" - 1/2")		3111	N278		
8200	AS1100AS	2001	B2000 Series (for IPS)	Strut Pipe Clamp Assembled	
8200Z - Zinc Plated (3/8" - 12")		-			
8200SS - T304 Stainless (1/2" - 12")		2016			
8250	AS1200AS Series	2401	B2000 Series (for OD)	Strut Pipe Clamp Assembled (O.D. Size)	
8250G - Zinc Plated (1/4" - 9-5/8")		-			










EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE	
8300	AS1200CDL Series	2302 - 2314	B2025 (DCU) - B2110 (DCU)	Strut Pipe Clamp Assembled for Copper Tube		
<i>8300CT - Copper Gard (3/8" - 5")</i>						
8350	AS1300AS Series	2101 - 2107	B2207PA - B2213PA	Universal Pipe Clamp		
<i>8350Z - Zinc Plated (1/2" - 2")</i>						
8500	ASOO4OD - AS106P	2501 - 2514	BVT Series	Cushion Clamp (O.D. Size)		
<i>8500Z - Zinc Plated (1/4" - 4-1/8")</i>						
<i>8500SS - T-304 Stainless (1/4" - 2-5/8")</i>						
9001FF	AS619	5000 - 5004	B200 - B202-2	1-5/8" Square Strut Washer		
<i>9001FFZ - Zinc Plated (3/8" - 3/4")</i>						
<i>9001FFSS - T304 Stainless (1/4" - 3/4")</i>						
9003FF	AS601	5010	B340	Two Hole Splice Plate		
<i>9003FFZ - Zinc Plated (1-5/8"x3-1/2")</i>						
9004FF	AS620	5012	B340	Two Hole Splice Plate Side to Side Strut		
<i>9004FFZ - Zinc Plated (1-5/8"x3-1/4")</i>						
9005FF	-	5011	-	Two Hole Splice Plate		
<i>9005FFGZ - Zinc Plated (1-5/8"x4-5/8")</i>						
9006FF	AS602	5013	B141	Three Hole Splice Plate		
<i>9006FFZ - Zinc Plated (1-5/8"x5-3/8")</i>						
9007FF	AS888	5015	B341	Four Hole Splice Plate		
<i>9011FFZ - Zinc Plated (3-1/2"x3-1/2")</i>						
9011FF	AS718	5025	B140	Three Hole Corner Plate		
<i>9011FFZ - Zinc Plated (3-1/2"x3-1/2")</i>						
9014FFZ	AS719	5030	B143	Four Hole Corner Plate		
<i>9014FFZ - Zinc Plated (5-3/8"x3-1/2")</i>						



EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
9016FF	AS714	5035	B133	Four Hole Tee Plate	
<i>9016FFZ - Zinc Plated (5-3/8"x3-1/2")</i>					
9017FF	AS712	5040	B132	Five Hole Cross Plate	
<i>9017FFZ - Zinc Plated (5-3/8"x5-3/8")</i>					
9022CA	AS603	5112	B230	Two Hole Corner Angle	
<i>9022CAZ - Zinc Plated (1-7/8"x2")</i>					
9023CA	AS604	5110 (1-5/8" x 2-1/4")	B101	Two Hole Corner Angle	
<i>9023CAZ - Zinc Plated (1-5/8"x2-15/16")</i>					
9026CA	AS605 (2-5/16" x 3-1/2")	5120 (2-5/16" x 3-1/2")	B102	Three Hole Corner Angle	
<i>9026CAZ - Zinc Plated (2-5/16"x3-1/2")</i>					
9030CA	AS607	5130 (3-1/2" x 4-3/16")	B104	Four Hole Corner Angle	
<i>9030CAZ - Zinc Plated (3-1/2"x41/8")</i>					
9034CA	AS3373	5165	B844 (4"x4")	Seven Hole Universal Corner Angle	
<i>9034CAZ - Zinc Plated (4-1/8"x41/8")</i>					
9045AF	AS633	5315	B327	Two Hole Open Angle 45°	
<i>9045AFZ - Zinc Plated (2-3/8"x2-3/8")</i>					
9046AF	AS781	5345	B248	Four Hole Open Angle 45°	
<i>9046AFZ - Zinc Plated (3-1/2"x3-11/16")</i>					
9076WF	AS923	5635	B271	Five Hole Double Wing Connection	
<i>9076WFZ - Zinc Plated (3-1/2"x3-11/16")</i>					
9080WF	AS913	5645	B273	Ten Hole Double Wing Connection	
<i>9080WFZ - Zinc Plated (13/16",1-5/8" Strut)</i>					





EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
9086BC	AS2651-T1	7070	B441-22	Strut U-Bolt Beam Clamp	
9086BCZ - Zinc Plated (13/16", 1-5/8" Strut)					
9086BCSX - T-316 Stainless (13/16", 1-5/8" Strut)					
9090PB	AS3025FL	6030 (3-1/8" x 8")	B280FL (3-1/8" x 8")	Post Base Flush Mount (4"x6")	
9090PBZ - Zinc Plated (1-5/8"x1-5/8" Strut)					
9093PB	AS3033	6020	B280	Post Base Diagonal	
9093PBZ - Zinc Plated (1-5/8"x1-5/8" Strut)					
9094PB	AS3033SQ	6025	B280SQ	Post Base (6"x6")	
9094PBZ - Zinc Plated (1-5/8"x1-5/8" Strut)					
9094SS - T-304 Stainless (1-5/8"x1-5/8" Strut)					
DPC	-	-	-	Manhole Drop Pipe Clamp	 
DPCSS0600SDR35-T-304 Stainless (8" SDR-35)					
DPCSSKIT	-	-	-	Manhole Drop Pipe Clamp Accessories Kit	
Kit Includes: 2 - 3/8" Drop in anchors 2 - 3/8" x 10" Full threaded rods 4 - 3/8" Hex nuts 4 - 3/8" Washers All of T-304 Stainless Steel					