

*Will Call Orders received after 3:30PM will not be ready until 9:00AM the following day.
\$50.00 net minimum for all Will Call orders.*

| EMPIRE | ANVIL | PHD | B-LINE | UNI-STRUT | ITEM DESCRIPTION | IMAGE |
|---|-------|------|---------|-----------|--|---|
| 10 | 67 | 970 | B3690 | - | J-Hanger |  |
| 10JGI - Electro-Galvanized(1/2"-10") | | - | | | | |
| 11 | 260 | 450 | B3100 | - | Adjustable Clevis Hanger |   |
| 11B - Plain Carbon Steel (1/2"-16") | | | | | | |
| 11G - Electro-Galvanized (1/2"-16") | | | | | | |
| 11HDG - Hot-Dip Galv (1/2"-12") | | | | | | |
| 11SS - T-304 Stainless Steel (1/2"- 12") | | | | | | |
| 11GI | 260 | 450 | B3100 | - | Galvanized Clevis Hanger: Imported |  |
| 11GI - Electro-Galvanized (1/2"-12") | | | | | | |
| 110 | 65 | 440 | B3104 | - | Clevis Hanger Light weight |   |
| 110B - Plain Carbon Steel(1/2"- 4") | | - | | | | |
| 110GI | 65 | 440 | B3104 | - | Galvanized Clevis Hanger, Light Weight: Imported |  |
| 110GI - Electro-Galvanized (1/2"- 4") | | - | | | | |
| 110CTI | CT-65 | 442 | B3104CT | - | Light Weight Clevis Hanger for Copper Tubing: Imported |  |
| 110CTI - Copper Gard (1/2"- 6") | | | | | | |
| 137 | 137 | 90 | B3188 | - | Standard U-Bolt |  |
| 137B- Plain Carbon Steel (1/2"- 12") | | - | | | | |
| 137G - Electro-Galvanized (1/2"- 12") | | - | | | | |
| 137SS - T-304 Stainless Steel (1/2"- 12") | | 91 | | | | |
| 13I | 290 | 525 | B3200 | - | Weldless Eye nut |  |
| 13BI - Plain Carbon Steel (3/8 - 1") | | | | | | |
| 137HDGI - Hot-Dip Galv (3/8"- 1") | | | | | | |
| 167 | 167 | 265P | B3151 | - | Pipe Covering Protection Shield |   |
| 167GI- Electro-Galvanized (Size 1-10) | | | | | | |
| 189 | 295 | 525 | B3144 | - | Double Bolt Pipe Clamp |   |
| 189B - Plain Carbon Steel (1/2"- 14") | | | | | | |
| 189G - Electro - Galvanized (1/2"- 12") | | | | | | |

*Will Call Orders received after 3:30PM will not be ready until 9:00AM the following day.
\$50.00 net minimum for all Will Call orders.*

| EMPIRE | ANVIL | PHD | B-LINE | UNI-STRUT | ITEM DESCRIPTION | IMAGE |
|--|-------|-----|---------|-----------|---|---|
| 212 | 212 | 520 | B3140 | - | Standard Steel Pipe Clamp for Heavy Industrial and Marine Use |  |
| 212B - Plain Carbon Steel (1/2" - 16") | | - | | | | |
| 212G - Electro-Galvanized (1/2" - 20") | | 521 | | | | |
| 212SS - T-304 Stainless Steel (1/2" - 16") | | | | | | |
| 231 | - | 825 | - | - | Two Hole Pipe Strap Electro-Galvanized |  |
| 231G - Electro-Galvanized (1/2" - 4") | | | | | | |
| 231SS - T-304 Stainless Steel (1/2" - 4") | | | | | | |
| 272 | 181 | 470 | B3110 | - | Adjustable Roller Hanger |  |
| 272B - Plain Carbon Steel (2" - 14") | | | | | | |
| 272G - Electro-Galvanized (4" - 16") | | | | | | |
| 310 | 69 | 151 | B3170 | - | Emlok™ Swivel Hanger |  |
| 310G - Electro-Galvanized (1/2" - 2") | | | | | | |
| 310SS - T-304 Stainless Steel (1/2" - 4") | | | | | | |
| 310CTI | CT-69 | 152 | B3170CT | - | Swivel Ring Hanger for Copper Tubing: Imported |  |
| 310CTI - Copper Gard (1/2" - 6") | | | | | | |
| 310 - NFPA | 69 | 141 | B3170NF | - | Emlok™ Swivel Hanger for National Fire Protection |  |
| 310NF-Electro-Galvanized (2-1/2" - 4" [3/8" nut] 5" - 8" [1/2" nut]) | | | | | | |
| 31 | - | 180 | B3172 | - | Stainless Steel Band Hanger |  |
| 31SS - T-304 Stainless Steel (6" - 8") | | | | | | |
| 320I | 230 | 960 | B3202 | - | Turnbuckle: Imported |  |
| 320HDGI - Hot-Dip Galv (3/8" - 1-1/2") | | | | | | |
| 41A | 128R | 940 | B3199 | - | Hanger Flange |  |
| 41ACT - Copper Gard (3/8" - 1/2") | | 941 | | | | |
| 41AG - Electro-Galvanized (3/8" - 1/2") | | | | | | |

*Will Call Orders received after 3:30PM will not be ready until 9:00AM the following day.
\$50.00 net minimum for all Will Call orders.*

| EMPIRE | ANVIL | PHD | B-LINE | UNI-STRUT | ITEM DESCRIPTION | IMAGE |
|---|---------|------------|---------|-----------|--|--|
| 41H | 138R | 508R | B3198H | - | Split Ring Hanger (Hinge Design) |  |
| 41HB - Plain Malleable Iron (1/2" - 4") | | | | | | |
| 41HG - Electro-Galvanized (3/8" - 4") | | | | | | |
| 41HCT - Copper Gard (1/4" - 4") | | | | | | |
| 428KT | - | - | - | - | Adjustable Pipe Saddle Support Kit |  |
| 428KTHDG - Hot-Dip Galv (size 4, 6, 8) | | | | | | |
| 50 | 261 | 550 551 | B3373 | - | Riser Clamp |   |
| 50B - Plain Carbon Steel (1/2" - 24") | | | | | | |
| 50G - Electro-Galvanized (1/2" - 24") | | | | | | |
| 50HDG - Hot-Dip Galv (1/2" - 10) | | | | | | |
| 50SS - T-304 Stainless Steel (1/2"-18") | | | | | | |
| 50CTI | CT-121 | 552 | B3373CT | - | Riser Clamp for Copper Tubing: Imported |  |
| 50CTI - Copper Gard (1/2" - 6") - Imported | | | | | | |
| 50SA | - | - | - | - | Short Arm Riser Clamp for Light Commercial Use |  |
| 50SAG - Electro - Galvanized (2" - 6") | | | | | | |
| 50SS - T-304 Stainless (2" - 6") | | | | | | |
| 52 | - | 130 | - | - | Flat Washer Stainless Steel |  |
| 52SS - T-304 Stainless Steel (3/8" - 3/4" Bulk) | | | | | | |
| 53 | 202 | 920 | B3060 | - | Angle Bracket |   |
| 53G - Electro-Galvanized (3/8" - 1/2") | | | | | | |
| 54 | 146 | 20 | - | - | Continuous Threaded Rod |  |
| 54G - Electro-Galvanized (3/8" - 7/8" x 10') | | | | | | |
| 54SS - T-304 Stainless Steel (3/8" - 3/4" x 6') | | | | | | |
| 56 | Hex Nut | 110 | - | - | Standard Hex Nut Packaged |  |
| 56G - Electro-Galvanized (1/2" - 1") | | | | | | |
| 56SS - T-304 Stainless (3/8" - 3/4" Bulk) | | | | | | |

*Will Call Orders received after 3:30PM will not be ready until 9:00AM the following day.
\$50.00 net minimum for all Will Call orders.*

| EMPIRE | ANVIL | PHD | B-LINE | UNI-STRUT | ITEM DESCRIPTION | IMAGE |
|---|---------|------|-------------|-----------|--|---|
| 61 | 93 | 360 | B3033 | - | Top Beam Clamp |   |
| 61B - Plain Malleable Iron (3/8" - 3/4") | 94 | | | | | |
| 61G - Electro-Galvanized (3/8" - 3/4") | | | | | | |
| 62 | 92 | 350 | B3034 | - | Junior Top Beam Clamp |   |
| 62B - Plain Malleable Iron (3/8" - 7/8") | | | | | | |
| 62G - Electro-Galvanized (3/8" - 7/8") | | | | | | |
| 63 | AS-85 | - | B444 | - | Rod Support Clamp |  |
| 63G - Electro-Galvanized (1/4" - 3/8") | | | | | | |
| 66L | 66 | 900 | B3083 | - | Welding Beam Attachment |   |
| 66LG - Electro-Galvanized, Weld Beam only (3/8" - 7/8") | | | | | | |
| 66WG - Electro-Galvanized, W/ nut and bolt (3/8" - 1") | | | | | | |
| 73 | - | 47S | - | - | Drop In Anchor |  |
| 73G - Electro-Galvanized (3/8") | | | | | | |
| 73SS - T-304 Stainless Steel (3/8") | | | | | | |
| 7001 | AS200EH | 1011 | B22 | P1000T | 1-5/8" x 1-5/8" Slotted 12ga Strut Channel |   |
| 7001Z - Zinc Plated (12ga, 10') | | | | | | |
| 7001SS - T-304 Stainless Steel (12ga, 10') | | | | | | |
| 7201 | AS500EH | 1311 | B54SH | P4100T | 1-5/8" x 13/16" Slotted 14ga Strut Channel |   |
| 7201Z - Zinc Plated (14ga, 10' & 20') | | | | | | |
| 7201SS - T-304 Stainless Steel (14ga, 10') | | | | | | |
| 8000 | AS-NS | 3001 | N/WO Series | P3006 | Strut Nut |  |
| 8000Z - Zinc Plated (1/4" - 1/2") | | 3011 | | - | | |
| 8000SX - T-316 Stainless Steel (1/4" - 5/8") | | | | P3010 | | |

*Will Call Orders received after 3:30PM will not be ready until 9:00AM the following day.
\$50.00 net minimum for all Will Call orders.*

| EMPIRE | ANVIL | PHD | B-LINE | UNI-STRUT | ITEM DESCRIPTION | IMAGE |
|--|-------------------|-------------------------|---------------------|------------|--|---|
| 8100 | AS-RS | 3101 | N221 | P1006 | Spring Strut Nut |  |
| 8100Z - Zinc Plated (1/4" - 5/16") | | - | - | - | | |
| 8100SX - T-316 Stainless Steel (3/8" - 1/2") | | 3111 | N278 | P1024 | | |
| 8200 | AS 1100 Series | 2001 | B2007PA | P1109 | Strut Pipe Clamp Assembled |  |
| 8200Z - Zinc Plated (3/8" - 12") | | - | - | - | | |
| 8200SS - T-304 Stainless Steel (1/4" - 12") | | 2016 | B2132PA | P1126 | | |
| 8250 | AS1200AS Series | 2104 | B202PA (ZN) | - | Strut Pipe Clamp Assembled (O.D. Size) |  |
| 8250Z - Zinc Plated (1/4" - 14-1/4") | | - | - | | | |
| | | 2461 | B2128 (ZN) | | | |
| 8300 | AS1200 CDL Series | 2302 | B2025PA (DCU) | P1117CC | Strut Pipe Clamp Assembled (Copper Tube) |  |
| 8300CT - Copper Gard (3/8" - 6") | | - | - | | | |
| | | 2314 | B2110PA (DCU) | | | |
| 8350 | AS1300AS Series | 2101 | B2207PA | P1211 | Universal Pipe Clamp |  |
| 8350Z - Zinc Plated (1/2" - 2") | | - | - | - | | |
| | | 2107 | B2213PA | P1217 | | |
| 8500 | AS1400AS Series | 2501 | BVT025 | P2600 | Cushion Clamp (O.D. Size) |  |
| 8500Z - Zinc Plated (1/4" - 4-1/8") | | - | - | | | |
| 8500SS - T-304 Stainless Steel (1/4" - 4-1/8") | | 2514 | BVT412 | | | |
| 8550 | AS3792 | 2600 | B1999 Vibra Cushion | - | Cushion Pipe Wrap |  |
| 9001FF | AS619 | 5000 | B200 | P1063(3/8) | 1-5/8" Square Strut Washer |  |
| 9001FFZ - Zinc Plated (3/8" - 3/4") | | - | - | P1064(1/2) | | |
| 9001FFSS - T-304 Stainless Steel (3/8" - 3/4") | | 5004 | B202-2 | P2471(3/4) | | |
| 9022CA | AS603 | 5112 | B230 | P1026 | Two Hole 1-7/8" x 2-1/16" Corner Angle |  |
| 9022CAZ - Zinc Plated | | | | | | |
| 9022CASS - T-304 Stainless Steel | | | | | | |
| 9030CA | AS607 | 5130 (3-1/2" x 4-3/16") | B104 | P1325 | Four Hole 3-1/2" x 4-1/8" Corner Angle |  |
| 9030CAZ - Zinc Plated | | | | | | |
| 9030CASS - T-304 Stainless Steel | | | | | | |

*Will Call Orders received after 3:30PM will not be ready until 9:00AM the following day.
\$50.00 net minimum for all Will Call orders.*

| EMPIRE | ANVIL | PHD | B-LINE | UNI-STRUT | ITEM DESCRIPTION | IMAGE |
|---|----------|-----------------------|-------------------------|-----------|---|-------|
| 9086BCZ | AS2651-A | 7070 | B441-22 | P2785 | Strut U-Bolt Beam Clamp for 1-5/8" Strut (Zinc) | |
| 9090PBZ | AS3025FL | 6030 (3-1/8" x 8") | B280FL (3-1/8" x 8") | - | Post Base-Flush Mount | |
| 9093PBZ | AS3033 | 6020 | B280 | P2072A | Post Base-Diagonal 1-5/8" x 1-5/8" Strut (Zinc) | |
| 9094PB | AS3033SQ | 6025 | B280SQ | - | Post Base-Square 1-5/8" x 1-5/8" Strut | |
| 9094PBZ - Zinc Plated | | | | | | |
| 9094PBSS - T-304 Stainless Steel | | | | | | |
| 9094PBSX - T-316 Stainless Steel | | | | | | |
| 9110HD | AS3126 | 7251 | B2400 | P2558 | Two Hole Hold Down Clamp | |
| 9110HDZ - Zinc Plated (3/4" - 4") | | - | | | | |
| DPC | - | - | - | - | Manhole Drop Pipe Clamp | |
| DPCS0600SDR35 - T-304 Stainless (6" SDR-35) | | | | | | |
| DPCS0800SDR35 - T-304 Stainless (8" SDR-35) | | | | | | |
| DPCSSKIT | - | - | - | - | Manhole Drop Pipe Clamp Accessories Kit | |
| Kit Includes: 2 - 3/8" Drop in anchors 2 - 3/8" x 10" Full threaded rods 4 - 3/8" Hex nuts 4 - 3/8" Washers All of T-304 Stainless Steel | | | | | | |