






EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
11	260	450	B3100	Adjustable Clevis Hanger	 
11B - Plain Carbon Steel (1/2" - 14")					
11G - Electro-Galvanized (1/2" - 24")					
11SS - T-304 Stainless (1/2" - 12")					
11GI	260	450	B3100	Galvanized Clevis Hanger (Imported)	
11GI - Electro-Galvanized (1/2" - 12")					
11HDGI	260	450	B3100	Hot-Dip Galvanized Clevis Hanger (Imported)	
11HDGI - Hot-Dip Galvanized (1/2" - 12")					
110	65	440	B3104	Clevis Hanger Light Weight	 
110B - Plain Carbon Steel (1/2" - 4")					
110G - Electro-Galvanized (3/4" - 4")					
110GI	65	440	B3104	Galvanized Light Weight Clevis Hanger (Imported)	
110GI - Electro-Galvanized (1/2" - 4")					
110CTI	CT-65	442	B3104CT	Light Weight Clevis Hanger for Copper Tubing (Imported)	
110CTI - Copper Gard (1/2" - 6")					
110PC	-	453	B3100C	Light Weight Clevis Hanger Plastic Coated	 
110PC - Plastic Coated (1" - 2")					
136	AS51	840	B422	Right Angle Clamp	
136HDG - Hot-Dip Galvanized (1/2" - 4")					
137	137	90 91	B3188	Standard U-Bolt	
137B - Plain Carbon Steel (1/2" - 4")					
137G - Electro-Galvanized (1/2" - 18")					
137HDG - Hot-Dip Galv (1/2" - 12")					
137SS - T-304 Stainless Steel (1/2" - 6")					
153	-	905	B3058	Side Beam Connector	
153B - Plain Malleable Iron (3/8" - 1/2")					
153G - Electro-Galvanized (3/8")					







EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
167	167	170	B3151	Pipe Covering Protection Shield	
167G - Electro-Galvanized (Size 0 - 16)					
21L	35	250	B351L	C-Clamp With Locknut	
21LB - Plain Carbon Steel (3/8")					
21LG - Electro-Galvanized (3/8"-1/2")					
231	-	825	-	Two Hole Pipe Strap	
231G - Electro-Galvanized (3/8" - 6")					
231SS - T-304 Stainless Steel (1/2" - 2")					
231CT	-	-	-	Two Hole Pipe Strap for Copper Tubing	
231CT - Copper Gard (1/2" - 2")					
233	-	-	-	One Hole Pipe Strap	
233G - Electro-Galvanized (1/2" - 3/4")					

EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
310	69	151	B3170	Emlock™ Swivel Hanger	 
310G - Electro-Galvanized (1/2" - 4")					
310SS - T-304 Stainless Steel (1/2" - 6")					
310NFPA	69	141	B3170NF	Emlock™ Swivel Hanger For National Fire Protection	 
310NF - Electro Galv -(2-1/2"-4-1/2" [3/8" nut] 5"- 8" [1/2" nut])					
310NFPC - Plastic Coated(2-1/2" - 6")					
310CTI	CT-69	152	B3170CT	Swivel Hanger for Copper Tubing (Imported)	
310CTI - Copper Gard (1/2" - 6")					
310PC	-	153	-	Emlock™ Swivel Hanger Plastic Coated	 
310PC - Plastic Coated (1/2" - 2")					
40HS	-	-	-	"Handy" Split Ring Hanger	
40HS - Electro-Galvanized (Size 1 - 17)					
41A	128R	940 941	B3199	Hanger Flange	
41AB - Plain Malleable Iron (3/8" - 1/2")					
41AG - Electro-Galvanized (3/8" - 1/2")					
41ACT - Copper Gard (3/8")					
41ASSI - T-304 Stainless Steel (3/8" - 1/2")					
41	-	510R	B3198R	Split Ring Hanger (Bolt Thread)	
41SSI - T-304 Stainless Steel (3/8" - 4")					
41H	138R	510R	B3198R	Split Ring Hanger (Hinge Design)	
41HB - Plain Malleable Iron (3/8" - 4")					
41HG - Electro-Galvanized (1/2" - 4")					
41HCT - Copper Gard (3/8" - 4")					

EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
428KT	-	-	-	Adjustable Pipe Saddle Support Kit	
<i>428KTHDG - Hot Dip Galv (Size 3-8)</i>					
429KT	-	-	-	Adjustable Pipe Saddle Support with U-Bolt, Kit	
<i>429KTHDG - Hot Dip Galv (Size 3-8)</i>					
47	110R	30	B3222	Eye Socket	
<i>47B - Plain Malleable Iron (3/8")</i>					
50					
<i>50B - Plain Carbon Steel (1/2" - 14")</i>					
<i>50G - Electro-Galvanized (1/2" - 16")</i>	261	550	B3373	Riser Clamp	
<i>50HDG - Hot-Dip Galv (2" - 12")</i>		551			
<i>50SS - T-304 Stainless Steel (1-1/2" - 12")</i>					
50CTI	CT-121	552	B3373CT	Riser Clamp for Copper Tubing (Imported)	
<i>50CTI - Copper Gard (1/2" - 6")</i>					
50SA					
<i>50SA - Plain Carbon Steel (1-1/2" - 6")</i>	-	-	-	Short Arm Riser Clamp for Light Commercial Use	
<i>50SAG - Electro-Galvanized (1-1/2" - 6")</i>					
51					
<i>51B - Plain Carbon Steel (3/8" - 5/8")</i>	135	100	B655	Rod Coupling	
<i>51G - Electro-Galvanized (1/4" - 7/8")</i>					
<i>51SS - T-304 Stainless Steel (3/8" Bulk)</i>					

EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
52	-	130	-	Round Steel Washer	
52B - Plain Finish (3/8" - 5/8")					
52G - Electro Galv (3/8" - 1")					
52SS - T-304 Stainless (3/8" - 3/4") Bulk					
53	206	920	B3060	Angle Bracket	
53G - Electro-Galvanized (3/8")					
54	146	20	-	Continuous Threaded Rod	
54G - Electro Galv (3/8"-3/4" x 6')					
54SS - T304 Stainless (3/8" - 5/8" x 6')					
56	Hex Nut	110	-	Standard Hex Nut Packaged	
56B - Plain Finish (3/8" - 5/8")					
56G - Electro Galv (3/8" - 7/8")					
56SS - T-304 Stainless (3/8" - 3/4") Bulk					
60	-	-	-	1/4" Beam Clamp	 
60B - Plain Finish (1/4")					
61	93 94	360	B3033	Wide Mouth Beam Clamp	 
61B - Plain Finish (3/8" - 3/4")					
61G - Electro Galv (3/8" - 1/2")					
62	92	350	B3034	Small Mouth Beam Clamp	 
62B - Plain Finish (3/8" - 7/8")					
62G - Electro Galv (3/8" - 7/8")					
62SS - T304 Stainless (1/4" - 1/2")					
73	-	47S	-	Drop In Anchor	
73G - Electro Galv (3/8"-1/2")					

EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
7001	AS200EH	1011	B22SH	1-5/8"x1-5/8" Slotted 12ga Strut Channel	 
<i>7001SX - T316 Stainless (12ga, 10")</i>					
7101	AS210EH	1111	B24SH	1-5/8"x1-5/8" Slotted 14ga Strut Channel	 
<i>7101SS - T304 Stainless (14ga, 10")</i>					
7201	AS500EH	1311	B54SH	1-5/8"x13/16" Slotted 14ga Strut Channel	 
<i>7201SS - T-304 Stainless (14ga, 10")</i>					
8000	AS-NS	3001 - 3011	N/WO Series	Strut Nut	
<i>8000Z - Zinc Plated (3/8" - 5/8")</i>					
8100	AS-RS	3101 - 3111	N221 - N278	Spring Strut Nut	
<i>8100Z - Zinc Plated (1/4" - 5/8")</i>					
8200	AS1100AS	2001 - 2016	B2007PA - B2132PA	Strut Pipe Clamp Assembled	
<i>8200Z - Zinc Plated (3/8" - 12")</i>					
<i>8200SS - T304 Stainless (1/2" - 10")</i>					
8250	AS1200AS Series	2401 - 2461	B2020PA (ZN) - B2128PA (ZN)	Strut Pipe Clamp Assembled (O.D. Size)	
<i>8250Z - Zinc Plated (3/8" - 7")</i>					
8300	AS1200CDL Series	2302 - 2314	B2025PA (DCU) - B2110PA (DCU)	Strut Pipe Clamp Assembled (Copper Tube)	
<i>8300CT - Copper Gard (1/2" - 6")</i>					

EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
8350	AS1300AS Series	2101 - 2107	B2207PA - B2213PA	Universal Pipe Clamp	
<i>8350Z - Zinc Plated (1/2" - 1-1/2")</i>					
8500	ASOO4OD - AS106P	2501 - 2514	BVT025 - BVT412	Cushion Clamp (O.D. Size)	
<i>8500Z - Zinc Plated (1/4" - 4-1/8")</i>					
8550	AS3792	2600	B1999 Vibra Cushion	Cushion Pipe Wrap	
9007FF	AS888	5015	B341	Four Hole Splice Plate	
<i>9007FFZ - Zinc Plated (1-5/8"x7-1/4")</i>					
9022CA	AS603	5112	B230	Two Hole Corner Angle	
<i>9022CAZ - Zinc Plated (1-7/8"x2")</i>					
9023CA	AS604	5110 (1-5/8" x 2-1/4")	B101	Two Hole Corner Angle (Zinc)	
<i>9023CAZ - Zinc Plated (1-5/8"x2-15/16")</i>					

EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
9030CA	AS607	5130 (3-1/2" x 4-3/16")	B104	Four Hole Corner Angle (Zinc)	
9030CAZ - Zinc Plated (3-1/2"x41/8")					
9030CASS - T304 Stainless(3-1/2"x41/8")					
9031CA	-	5131 (3-13/16" x 3-7/8")	B115 (3-3/4" x 3-15/16")	Four Hole Corner Angle (Zinc)	
9031CAZ - Zinc Plated (3-7/8"x3-3/4")					
9031CASS - T-304 Stainless (3-7/8"x3-3/4")					
9042CA	-	5410 - 5412	B261	Two Hole 45 Degree Knee Brace	
9042CAZ - Zinc Plated (18")					
9081BC	AS686	7040	B355	Strut Beam Clamp, Notched	
9081BCZ - Zinc Plated (2-3/4"x1/4")					
9086BC	AS2651	7070	B441-22	Strut U-Bolt Beam Clamp	
9086BCZ - Zinc Plated (13/16"x1-5/8" Strut)					
7510RT	-	-	-	Rooftop Support Block with 13/16" X 1-5/8" Strut Channel	
7510RT7200Z - Recycled Rubber Base w/ Pre-Galvanized Strut Channel					
9089PB	AS3025	-	-	Post Base (4"x6")	
9089PBZ - Zinc Plated (1-5/8"x1-5/8" Strut)					
9090PB	AS3025FL	6030 (3-1/8" x 8")	B280FL (3-1/8" x 8")	Post Base Flush Mount (4"x6")	
9090PBZ - Zinc Plated (1-5/8"x1-5/8" Strut)					
9092PB	AS3013SQ	6010	B279SQ	Post Base (6"x6")	
9092PBZ - Zinc Plated (1-5/8"x1-5/8" Strut)					
9093PB	AS3033	6020	B280	Post Base Diagonal	
9093PBZ - Zinc Plated (1-5/8"x1-5/8" Strut)					
9094PB	AS3033SQ	6025	B280SQ	Post Base (6"x6")	
9094PBZ - Zinc Plated (1-5/8"x1-5/8" Strut)					
9094SS - T-304 Stainless (1-5/8"x1-5/8" Strut)					
9094SX - T-316 Stainless (1-5/8"x1-5/8" Strut)					