















EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
11	260	450	B3100	Adjustable Clevis Hanger	 
<i>11B - Plain Carbon Steel (1/2" - 18")</i>					
<i>11G - Electro-Galvanized (1/2" - 24")</i>					
<i>11SS - T304 Stainless Steel(1/2" - 12")</i>					
11GI	260	450	B3100	Adjustable Clevis Hanger, Import	
<i>11GI - Electro-Galv import (1/2" - 12")</i>					
11V	-	450V	-	V-Bottom Clevis Hanger	 
<i>11VG - Electro-Galvanized (Size 1-2)</i>					
110	65	440	B3104	Clevis Hanger Light Weight	 
<i>110B - Plain Finish (1/2" - 4")</i>		-			
<i>110G - Electro Galv (1/2" - 4")</i>		441			
110CTI	CT-65	442	B3104CT	Light Weight Clevis Hanger for Copper Tubing (Imported)	
<i>110CTI - Copper Gard (1/2" - 6")</i>					
12V	-	450T	B3106V	V-Support Trough	 
<i>12V - Electro-Galvanized (Size 1&amp;2 x 10")</i>					
137	137	90	B3188	Standard U-Bolt	
<i>137G - Electro-Galvanized (1/2" - 12")</i>		91			
<i>137SS - T304 Stainless Steel (1/2" - 12")</i>					
153	-	905	B3058	Side Beam Connector	
<i>153B - Plain Finish (3/8" - 1/2)</i>					
157	157	25	B3203	Extension Piece	
<i>157B - Plain Finish (3/8" - 7/8")</i>					
218	218	630	B3054	Malleable Iron Center Load Beam Clamp	
<i>218B - Plain Finish (7/8")</i>					
231G	-	825	-	Two Hole Pipe Strap	
<i>231G - Electro-Galvanized (1/2" - 4")</i>					

EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
231CT	-	-	-	Two Hole Pipe Strap for Copper Tubing	
231CT - Copper Plated (1/2" - 2")					
242	-	-	-	Boca Safety Plate (Regular)	
242G - Electro-Galvanized (5" x 8")					
272	181	470	B3110	Adjustable Roller Hanger	 
272B - Plain Finish (4" - 12")					
272G - Electro-Galvanized (4" - 18")					
277	171	480	B3114	Adjustable Two Rod Roller Hanger	
277G - Electro-Galvanized (4" - 16")					
1900 - 1904					
1900B-Plain Finish-(1" INS, 0-8 Pipe Size)	160	651	B3160	Pipe Covering Protection Saddle	 
1901B-Plain Finish-(1-1/2" INS, 0-8 Pipe Size)	161	653	B3161		
1902B-Plain Finish-(2" INS, 0-8 Pipe Size)	162	654	B3162		
1904B-Plain Finish-(4" INS, 0-8 Pipe Size)	164	666	B3164		
310	69	151	B3170	Emlok™ Swivel Hanger	 
310G - Electro-Galvanized (1/2" - 3")					
310SS - T304 Stainless Steel (1/2" - 4")					
310PC	-	153	-	Plastic Coated Emlok™ Swivel Hanger	 
310PC - Plastic Coated (1/2" - 2")					
310CTI	CT-69	152	B3170CT	Swivel Hanger for Copper Tubing (Imported)	
310CTI - Copper Gard (1/2" - 6")					
310 - NFPA					
310NF - Electro Galv -(2-1/2"-4" [3/8" nut] 5" - 8" [1/2" nut])	69	141	B3170NF	Emlok™ Swivel Hanger For National Fire Protection	 
310NFPC - Plastic Coated - 2-1/2" - 3")					
41A					
41AB - Plain Malleable Iron (3/8" - 1/2")	128R	940	B3199	Hanger Flange	
41AG - Electro-Galvanized (3/8" - 1/2")		941			
41ACT - Copper Gard (1/2")					
41H					
41HB - Plain Malleable Iron (1/2" - 4")	138R	508R	B3198H	Split Ring Hanger Hinged	
41HG - Electro-Galvanized (1/2" - 4")					

EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
41HCT	CT-138R	512H	B3198HCT	Split Ring Hanger for Copper Tubing Hinged	
<i>41HCT - Copper Gard (1/2" - 4")</i>					
429KTU	-	-	-	Adjustable Pipe Saddle Support W/ U-Bolt Kit	
<i>429KTUHDG - Hot-Dip Galv (Size 3, 4, 6, 8)</i>					
50	261	550 551	B3373	Riser Clamp	
<i>50B - Plain Carbon Steel (1/2" - 12")</i>					
<i>50G - Electro-Galvanized (1/2" - 12")</i>					
<i>50SS - T-304 Stainless Steel (1/2" - 12")</i>					
50CTI	CT-121	552	B3373CT	Riser Clamp for Copper Tubing (Imported)	
<i>50CTI - Copper Gard (1/2" - 6")</i>					
51	135	100	B655	Rod Coupling	
<i>51G - Electro-Galvanized (3/8" - 1/2")</i>					
51R	135R	105	B656	Reducing Rod Coupling	
<i>51R - Electro-Galvanized (3/8" to 1/4" Reduction)</i>					
52	-	130	-	Round Steel Washer	
<i>52G - Electro-Galvanized (1/4" - 3/4")</i>					
52L	-	134	-	Lock Washer	
<i>52LG - Electro-Galvanized (3/8" - 3/4")</i>					
54	146	20	-	Continuous Threaded Rod	
<i>54G - Electro-Galvanized (3/8"-3/4" x 10')</i>					
56	Hex Nut	110	-	Standard Hex Nut Packaged	
<i>56G - Electro-Galvanized (3/8" - 3/4")</i>					
61	93 - 94	360	B3303	Wide Mouth Beam Clamp	
<i>61B - Plain Malleable Iron (3/8" - 3/4")</i>					
<i>61G - Electro-Galvanized (3/8" - 3/4")</i>					

EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE	
62	92	350	B3034	Junior Top Beam Clamp	 	
62B - Plain Malleable Iron (3/8" - 7/8")						
62G - Electro-Galvanized (3/8" - 7/8")						
62SS - T-304 Stainless Steel (1/4" - 1/2")						
63	AS-85	-	B444	Rod Support Clamp		
63G - Electro-Galvanized (1/4" - 3/8")						
66L	66	900	B3083	Welding Beam Attachment (W/O Nut or Bolt)	 	
66L - Plain Carbon Steel (3/8" - 1")						
73	-	47S	-	Drop In Anchor		
73G - Electro-Galvanized (3/8"-1/2")						
909	299	38	B3201	Forged Steel Clevis		
909B - Plain Finish (1/2"-7/8")						
7001	AS200EH	1011	B22SH	1-5/8"x1-5/8" Slotted 12ga Strut Channel	 	
7001P - Painted (12ga, 10')						
7001Z - Zinc Plated (12ga, 10')						
7001SS - T304 Stainless Steel (12ga, 10')						
7201	AS500EH	1311	B54SH	1-5/8"x13/16" Slotted 14ga Strut Channel	 	
7201P - Painted (14ga, 10')						
7201Z - Zinc Plated (14ga, 10')						
7201SS - T-304 Stainless (14ga, 10')						
8000	AS-NS	3001	N/WO Series	Strut Nut		
8000Z - Zinc Plated (1/4" - 3/4")		-				3011
8100	AS-RS	3101	N221	Spring Strut Nut		
8100Z - Zinc Plated (1/4" - 3/4")		-	-			
8100SX - T-316 Stainless (3/8" - 1/2")		3111	N278			
8200	AS1100AS	2001	B2000 Series (for IPS)	Strut Pipe Clamp Assembled		
8200Z - Zinc Plated (3/8" - 12")		-				-
8200SS - T304 Stainless (1/2" - 12")		2016				-

EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
8250	-	2302-2314	B2020PA (ZN)	O.D. Tubing Strut Pipe Clamp Assembled	
<i>8250G - Zinc Plated (1/4" - 7-5/8")</i>					
8300	AS1200CDL Series	2302 - 2314	B2025 (DCU) - B2110 (DCU)	Strut Pipe Clamp Assembled for Copper Tube	
<i>8300CT - Copper Gard (3/8" - 4")</i>					
8500	ASOO4OD - AS106P	2501 - 2514	BVT Series	Cushion Clamp (O.D. Size)	
<i>8500Z - Zinc Plated (1/4" - 4-1/8")</i>					
<i>8500SS - T-304 Stainless (1/4" - 2-5/8")</i>					
9001FF	AS619	5000 - 5004	B200 - B202-2	1-5/8" Square Strut Washer	
<i>9001FFZ - Zinc Plated (3/8" - 3/4")</i>					
<i>9001FFSS - T304 Stainless (1/4" - 3/4")</i>					
9003FF	AS601	5010	B340	Two Hole Splice Plate	
<i>9003FFZ - Zinc Plated (1-5/8"x3-1/2")</i>					
9004FF	AS620	5012	B340	Two Hole Splice Plate Side to Side Strut	
<i>9004FFZ - Zinc Plated (1-5/8"x3-1/4")</i>					
9005FF	-	5011	-	Two Hole Splice Plate	
<i>9005FFGZ - Zinc Plated (1-5/8"x4-5/8")</i>					
9006FF	AS602	5013	B141	Three Hole Splice Plate	
<i>9006FFZ - Zinc Plated (1-5/8"x5-3/8")</i>					
9007FF	AS888	5015	B341	Four Hole Splice Plate	
<i>9011FFZ - Zinc Plated (3-1/2"x3-1/2")</i>					
9011FF	AS718	5025	B140	Three Hole Corner Plate	
<i>9011FFZ - Zinc Plated (3-1/2"x3-1/2")</i>					
9014FFZ	AS719	5030	B143	Four Hole Corner Plate	
<i>9014FFZ - Zinc Plated (5-3/8"x3-1/2")</i>					

EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
9016FF	AS714	5035	B133	Four Hole Tee Plate	
<i>9016FFZ - Zinc Plated (5-3/8"x3-1/2")</i>					
9017FF	AS712	5040	B132	Five Hole Cross Plate	
<i>9017FFZ - Zinc Plated (5-3/8"x5-3/8")</i>					
9022CA	AS603	5112	B230	Two Hole Corner Angle	
<i>9022CAZ - Zinc Plated (1-7/8"x2")</i>					
9023CA	AS604	5110 (1-5/8" x 2-1/4")	B101	Two Hole Corner Angle	
<i>9023CAZ - Zinc Plated (1-5/8"x2-15/16")</i>					
9026CA	AS605 (2-5/16" x 3-1/2")	5120 (2-5/16" x 3-1/2")	B102	Three Hole Corner Angle	
<i>9026CAZ - Zinc Plated (2-5/16"x3-1/2")</i>					
9030CA	AS607	5130 (3-1/2" x 4-3/16")	B104	Four Hole Corner Angle	
<i>9030CAZ - Zinc Plated (3-1/2"x41/8")</i>					
9034CA	AS3373	5165	B844 (4"x4")	Seven Hole Universal Corner Angle	
<i>9034CAZ - Zinc Plated (4-1/8"x41/8")</i>					
9045AF	AS633	5315	B327	Two Hole Open Angle 45°	
<i>9045AFZ - Zinc Plated (2-3/8"x2-3/8")</i>					
9046AF	AS781	5345	B248	Four Hole Open Angle 45°	
<i>9046AFZ - Zinc Plated (3-1/2"x3-11/16")</i>					

EMPIRE	ANVIL	PHD	B-LINE	ITEM DESCRIPTION	IMAGE
7510RT					
7510RT - Recycled Rubber Rooftop support base only	-	-	-	Rooftop Support Block with 13/16" X 1-5/8" Strut Channel	
7510RT7200Z - Recycled Rubber Base w/ Pre-Galvanized Strut Channel					
7510RTE7200Z1200	-	-	-	Rooftop Support Block with Elevated 13/16" X 1-5/8" Strut Channel	
7520RT7200Z	-	-	-	Rooftop Support Block 20" with 13/16" X 1-5/8" Strut Channel	
9093PB	AS3033	6020	B280	Post Base Diagonal	
9093PBZ - Zinc Plated (1-5/8"x1-5/8" Strut)					
9094PB	AS3033SQ	6025	B280SQ	Post Base (6"x6")	
9094PBZ - Zinc Plated (1-5/8"x1-5/8" Strut)					
9094SS - T-304 Stainless (1-5/8"x1-5/8" Strut)					
9110HD	-	7251-7262	B2400 Series	Two Hole Hold Down Clamp	
9110HDZ - Zinc Plated (1/2" - 2")					
DPC	-	-	-	Manhole Drop Pipe Clamp	
DPCSS0600SDR35-T-304Stainless(8"SDR-35)					
DPCSSKIT	-	-	-	Manhole Drop Pipe Clamp Accessories Kit	
Kit Includes: 2 - 3/8" Drop in anchors 2 - 3/8" x 10" Full threaded rods 4 - 3/8" Hex nuts 4 - 3/8" Washers All of T-304 Stainless Steel					