












| EMPIRE | ANVIL | B-LINE | ELITE | ITEM DESCRIPTION | IMAGE |
|---|-------|---------|-------------------|---|-------|
| | | | | | |
| 11 | 260 | B3100 | 4000 - 4001 | Adjustable Clevis Hanger | |
| <i>11B - Plain Carbon Steel (1/2" - 12")</i> | | | | | |
| <i>11G - Electro-Galvanized (1/2" - 20")</i> | | | | | |
| <i>11HDG - Hot-Dip Galv (2" - 12")</i> | | | | | |
| <i>11SS - T-304 Stainless (1/2" - 12")</i> | | | | | |
| 11GI | 260 | B3100 | 4000 - 4001 | Galvanized Clevis Hanger (Imported) | |
| <i>11GI - Electro-Galvanized (1/2" - 12")</i> | | | | | |
| | | | | | |
| 11V | - | - | - | V-Bottom Clevis Hanger | |
| <i>11VG - Electro-Galvanized (1" - 2")</i> | | | | | |
| | | | | | |
| 110 | 65 | B3104 | 4200 - 4300 | Clevis Hanger Light Weight | |
| <i>110B - Plain Carbon Steel (1/2" - 4")</i> | | | | | |
| <i>110G - Electro-Galvanized (1/2" - 4")</i> | | | | | |
| 110GI | 65 | B3104 | 4200 - 4300 | Galvanized Clevis Hanger Light Weight (Imported) | |
| <i>110GI - Electro-Galvanized (1/2" - 4")</i> | | | | | |
| 110CTI | CT-65 | B3104CT | 4400 | Clevis Hanger Light Weight for Copper Tubing (Imported) | |
| <i>110CTI - Copper Gard (1/2" - 6")</i> | | | | | |
| | | | | | |
| 137 | 137 | B3188 | 1500 - 1600 | Standard U-Bolt | |
| <i>137G - Electro-Galvanized (1/2" - 12")</i> | | | | | |
| <i>137SS - T-304 Stainless (1/2" - 8)</i> | | | | | |
| | | | | | |
| 212 | 212 | B3140 | 6000 - 6100 | Standard Steel Pipe Clamp for Heavy Industrial and Marine Use | |
| <i>212G - Electro-Galvanized (1/2" - 12")</i> | | | | | |









| EMPIRE | ANVIL | B-LINE | ELITE | ITEM DESCRIPTION | IMAGE | | | | | |
|---|-------|---------|-------------------------|--|---|--|--|--|--|--|
| 231 | - | - | - | Two Hole Pipe Strap |  | | | | | |
| <i>231G - Electro-Galvanized (3/8" - 6")</i> | | | | | | | | | | |
| 231CT | - | - | - | Two Hole Pipe Strap for Copper Tubing |  | | | | | |
| <i>231CT - Copper Gard (1/2" - 2")</i> | | | | | | | | | | |
|  | | | | | | | | | | |
| 310 | 69 | B3170 | 3000 - 3200 | Emlock™ Swivel Hanger |  | | | | | |
| <i>310G - Electro-Galvanized (1/2" - 3")</i> | | | | | | | | | | |
|  | | | | | | | | | | |
| 310NFPA | 69 | B3170NF | 3000 - 3200 | Emlock™ Swivel Hanger For National Fire Protection |  | | | | | |
| <i>310NF - Electro Galv - (2-1/2" - 4" [3/8" nut] 5" - 8" [1/2" nut])</i> | | | | | | | | | | |
| 310CTI | CT-69 | B3170CT | 3100 | Swivel Hanger for Copper Tubing (Import) |  | | | | | |
| <i>310CTI - Copper Gard (1/2" - 4")</i> | | | | | | | | | | |
| 41A | 128R | B3199 | 3700, 3710 & 3720 | Hanger Flange |  | | | | | |
| <i>41AB - Plain Malleable Iron (3/8" - 1/2")</i> | | | | | | | | | | |
| <i>41AG - Electro-Galvanized (3/8" - 1/2")</i> | | | | | | | | | | |
| <i>41ACT - Copper Gard (3/8")</i> | | | | | | | | | | |
| <i>41ASSI - T-304 Stainless (3/8" - 1/2")</i> | | | | | | | | | | |
| 41 | - | B3198R | 5300 | Split Ring Hanger (Bolt Thread) |  | | | | | |
| <i>41SSI - T-304 Stainless (3/8" - 4")</i> | | | | | | | | | | |
| 41H | 138R | B3198H | 5000 - 5100 | Split Ring Hanger (Hinge Design) |  | | | | | |
| <i>41HB - Plain Malleable Iron (1/2" - 4")</i> | | | | | | | | | | |
| <i>41HG - Electro-Galvanized (1/2" - 4")</i> | | | | | | | | | | |

| EMPIRE | ANVIL | B-LINE | ELITE | ITEM DESCRIPTION | IMAGE |
|---|---------|----------|-------------------|--|---|
| 41HCT | CT-138R | B3198HCT | 5200 | Split Ring Hanger (Hinge Design) for Copper Tubing |  |
| 41HCT - Copper Gard (1/4" - 4") | | | | | |
| 428KT | - | - | - | Adjustable Pipe Saddle Support, kit |  |
| 428KTHDG- Hot-Dip Galvanized (Size 2-12) | | | | | |
| 429KTU | - | - | - | Adjustable Pipe Saddle Support with U-Bolt, Kit |  |
| 429KTUHDG- Hot-Dip Galvanized (Size 2-12) | | | | | |
| 50 | 261 | B3373 | 6200 - 6300 | Riser Clamp |  |
| 50B - Plain Carbon Steel (1/2" - 12") | | | | | |
| 50G - Electro-Galvanized (1/2" - 16") | | | | | |
| 50SS - T-304 Stainless (1/2" - 12") | | | | | |
| 50CTI | CT-121 | B3373CT | 6400 | Riser Clamp for Copper Tubing (Imported) |  |
| 50CTI - Copper Gard (1/2" - 6") | | | | | |
| 50SA | - | - | - | Short Arm Riser Clamp |  |
| 50SA - Plain Carbon Steel (2" - 4") | | | | | |
| 53 | 202 | B3060 | - | Angle Bracket |  |
| 53B - Plain Carbon Steel (3/8" - 1/2") | | | | | |
| 53G - Electro-Galvanized (3/8" - 7/8") | | | | | |
| 60 | - | - | - | 1/4" Beam Clamp |  |
| 60G - Electro-Galvanized (1/4") | | | | | |



| EMPIRE | ANVIL | B-LINE | ELITE | ITEM DESCRIPTION | IMAGE |
|--|------------------------|---------------------------------|--------|--|---|
| | | | | |   |
| 61 | 93 94 | B3033 | BC2 | Top Beam Clamp |  |
| 61B - Plain Malleable Iron (3/8" - 3/4") | | | | | |
| 61G - Electro-Galvanized (3/8" - 5/8") | | | | | |
| | | | | |   |
| 62 | 92 | B3034 | BC1 | Junior Top Beam Clamp |  |
| 62B - Plain Malleable Iron (3/8" - 7/8") | | | | | |
| 62G - Electro-Galvanized (3/8" - 7/8") | | | | | |
| 62SS - T-304 Stainless (3/8" - 1/2") | | | | | |
| 63 | AS-85 | B444 | BC4 | Rod Support Clamp |  |
| 63G - Electro-Galvanized (1/4" - 1/2") | | | | | |
| 63SX - T-316 Stainless Steel (1/4" - 1/2") | | | | | |
| 8000 | AS-NS | N/WO Series | NUTWOS | Strut Nut |  |
| 8000Z - Zinc Plated (1/4" - 7/8") | | | | | |
| 8100 | AS-RS | N221 - N278 | NUTLS | Spring Strut Nut |  |
| 8100Z - Zinc Plated (1/4" - 3/4") | | | | | |
| 8100SX - T-316 Stainless (1/4" - 1/2") | | | | | |
| 8200 | AS1100AS | B2001 | RPC | Strut Pipe Clamp Assembled |  |
| 8200Z - Zinc Plated (1/2" - 12") | | | | | |
| 8200SS - T-304 Stainless (1/2" - 8") | | | | | |
| 8300 | AS1200CDL Series | B2025 (DCU) - B2110 (DCU) | CST | Strut Pipe Clamp Assembled (for Copper Tube) |  |
| 8300CT - Copper Gard (3/8" - 4") | | | | | |
| 8500 | ASOO4OD - AS106P | BVT Series | STCC | Cushion Clamp (O.D. Size) |  |
| 8500Z - Zinc Plated (1/4" - 4-1/8") | | | | | |
| 8500SS - T-304 Stainless (1/4" - 4-1/8") | | | | | |

| EMPIRE | ANVIL | B-LINE | ELITE | ITEM DESCRIPTION | IMAGE |
|--|-------|--------|-------|----------------------------|---|
| 9001FF | AS619 | B200 | F13 | 1-5/8" Square Strut Washer |  |
| 9001FFZ - Zinc Plated (3/8" - 3/4") | | - | - | | |
| 9001FFSS - T-304 Stainless (3/8" - 1/2") | | B200-2 | F18 | | |
| 9006FF | AS602 | B141 | F20 | Three Hole Splice Plate |  |
| 9006FFZ - Zinc Plated (1/2") | | | | | |
| 9007FF | AS888 | B341 | F23 | Four Hole Splice Plate |  |
| 9007FFZ - Zinc Plated (1-5/8" x 7-1/4") | | | | | |
| 9011FF | AS718 | B140 | F36 | Three Hole Corner Plate |  |
| 9011FFZ - Zinc Plated (3-1/2" x 3-1/2") | | | | | |
| 9014FF | AS719 | B143 | F37 | Four Hole Corner Plate |  |
| 9014FFZ - Zinc Plated (5-3/8" x 3-1/2") | | | | | |
| 9016FF | AS714 | B133 | F25 | Four Hole Tee Plate |  |
| 9016FFZ - Zinc Plated (5-3/8" x 3-1/2") | | | | | |
| 9017FF | AS712 | B132 | - | Five Hole Cross Plate |  |
| 9017FFZ - Zinc Plated (5-3/8" x 5-3/8") | | | | | |
| 9018FF | AS747 | B136 | - | Four Hole Tee Gusset |  |
| 9017FFZ - Zinc Plated (3-1/2" x 5-3/8") | | | | | |

| EMPIRE | ANVIL | B-LINE | ELITE | ITEM DESCRIPTION | IMAGE |
|--|------------------------------|-----------------------------|-------|-------------------------------------|---|
| 9021FF | AS2112 | B334 | - | Seven Hole Cross Gusset |  |
| 9017FFZ - Zinc Plated (5-3/8" x 9-1/8") | | | | | |
| 9022CA | AS603 | N230 | L11 | Two Hole Corner Angle |  |
| 9022CAZ - Zinc Plated (1-7/8" x 2") | | | | | |
| 9022CASS - T-304 Stainless (1-7/8" x 2") | | | | | |
| 9023CA | AS604 | B101 | L10 | Two Hole Corner Angle |  |
| 9023CAZ - Zinc Plated (1-5/8" x 2-15/16") | | | | | |
| 9027CA | AS605 (2-15/16" x 3-1/2") | B102 | L21 | Three Hole Corner Angle |  |
| 9027CAZ - Zinc Plated (2-5/16" x 3-1/2") | | | | | |
| 9028CA | AS745 | B232 | L19 | Three Hole Corner Angle |  |
| 9028CAZ - Zinc Plated (3-7/8" x 1-7/8") | | | | | |
| 9030CA | AS607 | B104 | L22 | Four Hole Corner Angle |  |
| 9030CAZ - Zinc Plated (3-1/2" x 4-1/8") | | | | | |
| 9030CASS - T-304 Stainless (3-1/2" x 4-1/8") | | | | | |
| 9031CA | - | B115 (3-3/4" x 3-15/16") | - | Four Hole Corner Angle |  |
| 9031CAZ - Zinc Plated (3-7/8" x 3-3/4") | | | | | |
| 9031CASS - T-304 Stainless (3-7/8" x 3-3/4") | | | | | |
| 9032CA | - | - | - | Four Hole Webbed Corner Angle, R.H. |  |
| 9032CAZ - Zinc Plated (3-1/2" x 4-1/8") | | | | | |

| EMPIRE | ANVIL | B-LINE | ELITE | ITEM DESCRIPTION | IMAGE |
|--|---------|-----------------|-------|---|---|
| 9034CA | - | B844 (4"x4") | L23 | Seven Hole Universal Corner Angle |  |
| <i>9034CAZ - Zinc Plated (4-1/8" x 4-1/8")</i> | | | | | |
| 9039CA | AS927 | B533 | - | Five Hole Shelf Gusset Angle |  |
| <i>9039CAZ - Zinc Plated (1-5/8" x 4-1/8")</i> | | | | | |
| 9040CA | AS926 | B261-12 | - | Two Hole 45 Degree Knee Brace |  |
| <i>9040CAZ - Zinc Plated</i> | | | | | |
| 9046AF | AS781 | B248 | - | Four Hole 45° Open Angle |  |
| <i>9046AFZ - Zinc Plated (3-1/2" x 3-11/16")</i> | | | | | |
| 9047AF | AS624 | B155 | L46 | Two Hole 45° Closed Angle |  |
| <i>9047AFZ - Zinc Plated (2-1/2" x 3-1/2")</i> | | | | | |
| 9052UF | AS616 | B172 | - | Four Hole Splice Clevis (1-5/8" x 1-5/8" Strut) |  |
| <i>9052UFZ - Zinc Plated (7-1/4" x 1-5/8")</i> | | | | | |
| 9053UF | - | B107 | U10 | Five Hole "U" Support for 1-5/8" x 1-5/8" Strut |  |
| <i>9053UFZ - Zinc Plated (5-3/8" x 1-5/8")</i> | | | | | |
| 9067WF | AS922RH | B267R | - | Two Hole Single Corner Connection Right Hand |  |
| <i>9067WFZ - Zinc Plated</i> | | | | | |

| EMPIRE | ANVIL | B-LINE | ELITE | ITEM DESCRIPTION | IMAGE |
|--|-------------|----------|-------|---|--|
| 9068WF | AS922LH | B267L | - | Two Hole Single Corner Connection Left Hand |  |
| 9068WFZ - Zinc Plated | | | | | |
| 9080WF | AS669 | B273 | - | Twelve Hole Triple Wing Connection |  |
| 9080WFZ - Zinc Plated | | | | | |
| 9082BC | AS907 | B212-1/4 | - | Strut Beam Clamp Light Duty |  |
| 9082BCZ - Zinc Plated | | | | | |
| 9086BC | AS2651-T1 | B441-22 | BC17 | Strut U-Bolt Beam Clamp |  |
| 9086BCZ - Zinc Plated (1-5/8" x 13/16" Strut) | | | | | |
| 9087BC | AS2651 - T2 | B441-22A | BC17A | Strut U-Bolt Beam Clamp |  |
| 9087BCZ - Zinc Plated (2-7/16" x 3-1/4" Strut) | | | | | |
| 7505RT | - | - | - | Mini Rooftop Support Block with 13/16" X 1-5/8" Strut Channel |  |
| 7505RT7200Z - Recycled Rubber Base w/ Pre-Galvanized Strut Channel | | | | | |
| 7510RT | - | - | - | Rooftop Support Block with 13/16" X 1-5/8" Strut Channel |  |
| 7510RT7200Z - Recycled Rubber Base w/ Pre-Galvanized Strut Channel | | | | | |
| 9089PB | AS3025 | - | P9 | Post Base (4"x6") |  |
| 9089PBZ - Zinc Plated (1-5/8" x 1-5/8" Strut) | | | | | |

| EMPIRE | ANVIL | B-LINE | ELITE | ITEM DESCRIPTION | IMAGE |
|---|----------|-------------------------------|-------|--|-------|
| 9090PB | AS3025FL | B280FL (3-1/8" x 8") | - | Post Base Flush Mount (4"x6") | |
| 9090PBZ - Zinc Plated (1-5/8" x 1-5/8" Strut) | | | | | |
| 9092PB | AS3013SQ | B279SQ | P10 | Post Base (6"x6") | |
| 9092PBSS - T-304 Stainless (1-5/8" x 1-5/8" Strut) | | | | | |
| 9093PB | AS3033 | B280 | P11 | Post Base Diagonal | |
| 9093PBZ - Zinc Plated (1-5/8" x 1-5/8" Strut) | | | | | |
| 9094PB | AS3033SQ | B280SQ | - | Post Base (6"x6") | |
| 9094PBZ - Zinc Plated (1-5/8" x 1-5/8" Strut) | | | | | |
| 9094PBSS - T-304 Stainless (1-5/8" x 1-5/8" Strut) | | | | | |
| | | | | | |
| DPC | - | - | - | Manhole Drop Pipe Clamp | |
| DPCSS0800SDR35-T-304Stainless(4"SDR35) | | | | | |
| DPCSS0600SDR35-T-304Stainless(6"SDR35) | | | | | |
| DPCSS0800SDR35-T-304Stainless(8"SDR35) | | | | | |
| DPCSSKIT | - | - | - | Manhole Drop Pipe Clamp Accessories Kit | |
| Kit Includes: 2 - 3/8" Drop in anchors 2 - 3/8" x 10" Full threaded rods 4 - 3/8" Hex nuts 4 - 3/8" Washers All of T-304 Stainless Steel | | | | | |