















EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
10J	67	970 970F	B3690	3	-	J-Hanger	
10JGI - Electro-Galvanized (1/2" - 10")							
11							
11B - Plain Carbon Steel (1/2" - 18")	260	450	B3100	1	-	Adjustable Clevis Hanger	
11G - Electro-Galvanized (1/2" - 20")							
11HDG - Hot-Dip Galv (1/2" - 14")							
11SS - T-304 Stainless Steel (1/2" - 16")							
11SX - T-316 Stainless Steel (1/2" - 16")							
11GI	260	450	B3100	1	-	Adjustable Clevis-Hanger, Electro-Galvanized: Imported	
11GI - Electro-Galvanized (1/2" - 12")							
11DIP	590	420	B3102	1CI	-	Adjustable Clevis Hanger for Ductile Iron Pipe	
11DIPHDG - Hot-Dip Galv (4" - 12")							
11DIPSX - T-316 Stainless (4" - 12")							
11V	-	450V	-	1V	-	V-Bottom Clevis Hanger	
11VG - Electro-galvanized (Sizes 1)							
12V	-	450T	B3106V	1VT	-	V-Support Trough	
12V - Electro-Galvanized (Sizes 1 1/2 x 10")							
110	65	440	B3104	1LD	-	Adjustable Clevis Hanger: Lightweight	
110B - Plain Carbon Steel (1/2" - 3")							
110PC - Plastic Coated (1" - 2")							
110CTI	CT-65	442	B3104CT	81	-	Light Weight Clevis Hanger For Copper Tubing (Imported)	
110CTI- Copper Gard (1/2" - 4")							







EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
13	290	35	B3200	-	-	Weldless Eye Nut	
137HDG - Hot-Dip Galv (3/8" - 1-1/4")							
137	137	91ZINC	B3188	110	-	Standard U-Bolt	
137G - Electro-Galvanized (1/2" - 16")							
137HDG - Hot-Dip Galv (1/2" - 10")							
137SS - T-304 Stainless (1/2" - 12")							
137SX - T-316 Stainless (1/2" - 14")							
137DIP	-	-	-	-	-	U-Bolt for DIP Sizes	
137HDGIDIP - Hot-Dip Galv (4"-8")							
137DIPSX - T-316 Stainless (4"-8")							
153	-	905	B3058	-	-	Side Beam Connector	
153B - Plain Malleable Iron (3/8" - 1/2")							
153G - Electro-Galvanized (3/8" - 1/2")							
157	157	25	B3203	-	-	Extension Piece	
157B - Plain Malleable Iron (3/8" - 7/8")							
212	212	520 521	B3140	4	-	Standard Steel Pipe Clamp for Heavy Marine and Industrial Use	
212B - Plain Carbon Steel (1" - 16")							
212SX - T-316 Stainless (1" - 12")							
218	218	630	B3054	-	-	Malleable Iron Center Load Beam Clamp (157 Extension Piece)	
218B - Plain Malleable Iron							
21L	95	250	B351L	64	-	C-Clamp W/ Locknut	
21LB - Plain Carbon Steel (3/8" - 5/8")							
21LG - Electro-Galvanized (3/8" - 1/2")							
21LSS - T-304 Stainless (3/8" - 1/2")							
21LSX - T-316 Stainless (3/8")							








EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
231	-	825	-	21	-	Two Hole Pipe Strap	
231G - Electro-Galvanized (1/2" - 4")							
23L	86	270	B3036L	-	-	Ductile Iron C-Clamp W/ Locknut	
23LB - Plain Ductile Iron (3/8")							
272	181	470	B3110	324	-	Adjustable Roller Hanger	
272HDG - Hot-Dip Galv (4"-18")							
277	171	490	B3114	322	-	Adjustable Two Rod Roller	
277G - Electro-Galvanized (2" - 20")							
310	69	152	B3170	202	-	Emlok™ Swivel Hanger	
310G - Electro-Galvanized (1/2" - 6")							
310GFL - Felt-lined (1/2" - 3")							
310PC - Plastic Coated (1/2" - 3")							
310SS - T-304 Stainless (1/2" - 3")							
310SX - T-316 Stainless (1/2" - 3")							
310CTI	CT-69	152	B3170CT	202	-	Swivel Ring Hanger for Copper Tubing (Imported)	
310CTI - Copper Gard (1/2" - 4")							
310NF	69	141	B3170NF	200	-	Emlok™ Swivel Hanger for National Fire Protection	
310NF - Electro-Galvanized (2-1/2" - 4" [3/8" nut] 5" - 8" [1/2" nut])							
310NFFL - Felt-lined (2-1/2" - 6")							
41A	128R	940 941	B3199	78	-	Hanger Flange	
41AB - Plain Malleable Iron (3/8")							
41AG - Electro-Galvanized (3/8" - 1/2")							
41ACT - Copper Gard (3/8" - 1/2")							
41ASSI - T-304 Stainless (3/8" - 1/2")							
41ASXI - T-316 Stainless (3/8")							






EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
41H	138R	508R	B3198H	302	-	Split Ring Hanger Hinged	
41HB - Plain Malleable Iron (3/8" - 4")							
41HG - Electro-Galvanized (1/2" - 2-1/2")							
41HCT	CT-138R	512H	B3198HCT	301CT	-	Split Ring Hanger Hinged For Copper Tubing	
41HCT - Copper Gard (3/4" - 3")							
428KT	-	-	-	-	-	Adjustable Pipe Saddle Support Kit	
428KTHDG - Hot-Dip Galv (Size 2, 4, 6, 8, 12)							
429KT	-	-	-	-	-	Adjustable Pipe Saddle Support Kit With U-Bolt	
429KTHDG - Hot-Dip Galv (Size 2, 3, 4, 8, 12)							
431KTSF	-	-	-	-	-	Adjustable Bolt On Flange Support Kit	
431KTSFHDG - Hot-Dip Galv (Size 4, 6, 8, 10, 12)							
50	261	550 551	B3373	6	-	Riser Clamp	
50B - Plain Carbon Steel (1/2" - 14")							
50G - Electro-Galvanized (1/2" - 12")							
50SS - T-304 Stainless (1/2" - 6")							
50SX - T-316 Stainless (3/4" - 12")							
50CTI	CT-121	552	B3373CT	82	-	Riser Clamp for Copper Tubing	
50CTI - Copper Gard (1/2" - 4")							
50SA	-	-	-	-	-	Short Arm Riser Clamp for Light Commercial Use	
50SAB - Plain Carbon Steel (2" - 4")							

EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
51	135	100	B655	6	-	Rod Coupling	
51G - Electro-Galvanized (1/4" - 5/8")							
52	-	130	-	FW	-	Round Steel Washer	
52SB - Plain Carbon Steel (3/8" - 1/2")							
52SX - T-316 Stainless (3/8") Bulk							
53	202	920	B3060	50	-	Angle Bracket	
53B - Plain Carbon Steel (3/8" - 1/2")							
53G - Electro-Galvanized (3/8" - 1/2")							
53SS - T-304 Stainless (3/8" - 1/2")							
54	146	20	-	113	-	Continuous Threaded Rod	
54G - Electro - Galvanized (1/2" - 7/8" x 6')							
54SSI - T-304 Stainless (3/8" - 1/2" x 6')							
56	Hex Nut	110	-	113	-	Standard Hex Nut Packaged	
56SX - T-316 Stainless (3/8") Bulk							
61	93 94	360	B3033	68	-	Top Beam Clamp	
61B - Plain Ductile Iron (3/8" - 3/4")							
61G - Electro-Galvanized (3/8"-5/8")							
62	92	350	B3034	-	-	Junior Top Beam Clamp	
62B - Plain Ductile Iron (3/8" - 7/8")							
62G - Electro-Galvanized (3/8" - 7/8")							
62SS - T-304 Stainless (1/4" - 1/2")							
62SX - T-316 Stainless (1/4" - 1/2")							
63	AS-85	-	B444	-	-	Rod Support Clamp	
63G - Electro-Galvanized (1/4" - 3/8")							
63SX - T-316 Stainless (1/4" - 1/2")							

EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
							
66L	66	900	B3083	304 305	-	Welding Beam Attachment (W/O nut or bolt)	
66LB - Plain Carbon Steel (3/8" - 1")							
73	--	47S	--	--	--	Drop-In Anchor	
73G - Electro-Galvanized (3/8" - 1/2")							
							
95	103	-	B3148	7	-	Offset Pipe Clamp	
95SX - T-316 Stainless (2", 3", 4", 6", 8")							
909I	299	38	B3201	332	-	Forged Steel Clevis	
909IHDG - Hot-Dip Galv (#2.5 3/4")							
8000	AS-NS	3001 - 3011	N/WO Series	Nut Series	P3006 - P3010	Strut Nut	
8000Z - Zinc Plated (1/4" - 3/4")							
8000SX - T-316 Stainless (3/8" - 1/2")							
8100	AS-RS	3101 - 3111	N221 - N278	SPRA Series	P1006 - P1024	Spring Strut Nut	
8100Z - Zinc Plated (1/4" - 7/8")							
8100SX - T-304 Stainless (1/2" - 5/8")							
8200	AS 1100 Series	2001 - 2016	B2007PA - B2132PA	RIGD Series	P1109 - P1126	Strut Pipe Clamp Assembled	
8200Z - Zinc Plated (1/2" - 10")							
8200SS - T-304 Stainless (1/2" - 10")							
8200SX - T-316 Stainless (1/2" - 4")							
8250	AS1200AS	2401 - 2461	B2000 Series (for OD)	OD Series	P1117E - P1120E	Strut Pipe Clamp Assembled (O.D. Size)	
8250Z - Zinc Plated (1/4" - 8-3/8")							
8250SS - T-304 Stainless (5/8" - 2-1/2")							

EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
8300	AS1200CDL Series	2302 - 2314	B2025PA (DCU) - B2110PA (DCU)	-	P1117CC	Strut Pipe Clamp Assembled (Copper Tube)	
8300CT - Copper Gard (1/2" - 4")							
8350	AS1300AS Series	2101 - 2107	B2207PA - B2213PA	Univ Series	P1211 - P1217	Universal Pipe Clamp	
8350G - Electro-Galvanized (1/2" - 2")							
8500	AS1300AS Series	2501 - 2514	BVT025 - BVT412	-	P2600	Cushion Clamp (O.D. Size)	
8500Z - Electro-Galvanized (1/4" - 3-1/8")							
8500SS - T-304 Stainless (3/8" - 2-5/8")							
8500SX - T-316 Stainless (1/4" - 3-1/8")							
8575	-	-	-	-	-	Conduit Clamp With Bolt and Nut	
8575Z - Zinc Plated (1/2" - 2")							
9001FF	AS619	5000 - 5004	B200 - B202-2	F14 F18	P1063 (3/8") P1064 (1/2") P2471 (3/4") P2490 (7/8") P1964	1-5/8" Square Strut Washer	
9001FFZ - Zinc Plated (1/4" - 7/8")							
9001FFSS - T-304 Stainless (1/4" - 3/4")							
9001FFSX - T-316 Stainless (1/4" - 3/4")							
9007FFZ	-	5015	B341	F23	P1067	4-Hole Splice Plate	
9007FFZ - Zinc Plated (1-5/8"x7-1/4")							
9014FFZ	AS719	5030	B143	F37	P1380A	Four Hole Corner Plate	
9014FFZ - Zinc Plated (5-3/8" x 3-1/2")							
9016FFZ	-	5035	B133	F25	P1031	4-Hole Tee Plate	
9016FFZ - Zinc Plated (5-3/8" x 3-1/2")							

EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
9017FFZ	F28	5040	B132	F28	P1028	5 Hole Cross Plate	
9017FFZ - Zinc Plated (5-3/8" x 5-3/8")							
9022CA	AS603	5112	B230	L11	P1026	Two Hole Corner Angle (1-7/8" x 2-1/6")	
9022CAZ - Zinc Plated							
9022CASX - T-316 Stainless							
9024CAZ	AS806	5119	B31 (2-1/4" x 2-1/4")	L08	P2626	Two Hole Corner Angle With Guides	
9024CAZ - Zinc Plated (2-1/8" x 2-1/8")							
9026CAZ	AS605 (2-15/16") x 3-1/2")	5120 (2-15/16") x 3-1/2")	B102	L18	P1458	Three Hole Corner Angle	
9026CAZ - Zinc Plated (2-5/16" x 3-1/2")							
9030CA	AS607	5130 (3-1/2" x 4-3/16")	B104	L22	P1325	Four Hole Corner Angle (3-1/2" x 4-1/8")	
9030CAZ - Zinc Plated							
9053UF	-	5503	B107	-	P1047	5-Hole "U" Support	
9053UFZ - Zinc Plated (1-5/8" x 1-5/8")							
9086BCZ	AS2651-A	7070	B441-22	BC17	P2785	Strut U-Bolt Beam Clamp	
9086BCZ - Zinc Plated (13/16", 1-5/8" Strut)							
9087BC	BC-17D000EG	7075	B441-22A	BC17(E)	P2786	Strut U-Bolt Beam Clamp	
9087BCZ - Zinc Plated (2-7/16" x 3-1/4")							

EMPIRE	ANVIL	PHD	B-LINE	TOLCO	UNI-STRUT	ITEM DESCRIPTION	IMAGE
7505RT	-	-	-	-	-	Mini Rooftop Support Block with 13/16" X 1-5/8" Strut Channel	
7505RT7200Z - Recycled Rubber Base w/ Pre-Galvanized Strut Channel							
7510RT	-	-	-	-	-	Rooftop Support Block with 13/16" X 1-5/8" Strut Channel	
7510RT7200Z - Recycled Rubber Base w/ Pre-Galvanized Strut Channel							
9088PBZ	AS3040	6095	B278	P15	P1887	Post Base for 1-5/8" x 1-5/8" Strut 5" Base (Zinc)	
9088PBZ - Zinc Plated (1-5/8" x 1-5/8" Strut)							
9090PBZ	AS3025FL	6030 (3-1/8" x 8")	B280FL (3-1/8" x 8")	P11F	-	Post Base - Flush Mount (Zinc)	
9090PBZ - Zinc Plated (1-5/8" x 1-5/8" Strut)							
9093PBZ	AS3033	6020	B280	P11	P2072A	Post Base - Diagonal 1-5/8" x 1-5/8" Strut (Zinc)	
9090PBZ - Zinc Plated (1-5/8" x 1-5/8" Strut)							
9094PB	AS3033SQ	6025	B280SQ	P11SQ	-	Post Base - Square 1-5/8" x 1-5/8" Strut	
9094PBZ - Zinc Plated							
9094PBSS - T-304 Stainless							
9094PBSX - T-316 Stainless							
9095PBZ	AS3064	6050	B281	P13	P2073A	6" Post Base for 1-5/8" x 3-1/4" Strut (Zinc)	
9095PBZ - Zinc Plated (1-5/8" x 3-1/4" Strut)							