



FIG. 53:



Materials/Finishes:	Plain Carbon Steel (53B)	Electro-Galvanized (53G)
	Hot-Dip Galvanized (53HDG)	T-304 Stainless (53SS)
	T-316 Stainless (53SX)	
Service:	Designed for attaching hanger rod to the side of beams or walls.	
Approvals:	Complies with Federal Specification WW-H-171-E (Type# 35), A-A-1192 A (Type# 34), and MSS SP-58 and 7SP-69 (Type# 34).	
Ordering:	Specify figure number, finish and rod size.	

SIZE	HOLE SIZE A	MATERIAL SIZE	B	C	E	WGT EACH (lbs)	MAX REC LOAD (lbs)
3/8-16	7/16	8ga	2-1/16	1-5/16	1-1/2	0.225	300
1/2-13	9/16	3ga	2-1/8	1-3/8	1-1/2	0.330	560
5/8-11	11/16	3/8	2-3/4	1-5/8	2-1/2	1.130	900
3/4-10	13/16	3/8	3-1/4	2-3/16	2-1/2	1.390	900
7/8-9	15/16	3/8	3-5/8	2-1/4	2-1/2	1.435	900

PROJECT INFORMATION	APPROVAL STAMP
Project:	APPROVED AS NOTED
Address:	NOTES:
Contractor:	
Engineer:	
Date:	
APPROVED	
NOT APPROVED	