







| EMPIRE | ANVIL | PHD | B-LINE | ITEM DESCRIPTION | IMAGE |
|---|-------|----------|---------|---|---|
| | | | | |  |
| 11 | 260 | 450 | B3100 | Adjustable Clevis Hanger |  |
| <i>11B - Plain Carbon Steel (1/2" - 8")</i> | | | | | |
| <i>11G - Electro-Galvanized (1/2" - 24")</i> | | | | | |
| <i>11HDG - Hot-Dip Galv (2" - 8")</i> | | | | | |
| <i>11SS - T-304 Stainless (1/2" - 14")</i> | | | | | |
| <i>11SX - T-316 Stainless (2", 3", 4", 6")</i> | | | | | |
| | | | | | |
| 11GI | 260 | 450 | B3100 | Galvanized Clevis Hanger (Imported) |  |
| <i>11GI - Electro-Galvanized (1/2" - 12")</i> | | | | | |
| | | | | |  |
| 110 | 65 | 440 | B3104 | Clevis Hanger Light Weight |  |
| <i>110B - Plain Carbon Steel (1/2" - 4")</i> | | | | | |
| <i>110G - Electro-Galvanized (1/2" - 4")</i> | | | | | |
| | | | | | |
| 110GI | 65 | 440 | B3104 | Galvanized Light Weight Clevis Hanger (Imported) |  |
| <i>110GI - Electro-Galvanized (3/4" - 4")</i> | | | | | |
| | | | | | |
| 110CTI | CT-65 | 442 | B3104CT | Light Weight Clevis Hanger for Copper Tubing (Imported) |  |
| <i>110CTI - Copper Gard (1/2" - 6")</i> | | | | | |
| | | | | | |
| 110PC | - | 453 | B3100C | Light Weight Clevis Hanger Plastic Coated |  |
| <i>110PC - Plastic Coated (1" - 4")</i> | | | | | |
| | | | | | |
| 136 | AS51 | 840 | B422 | Right Angle Clamp |  |
| <i>136HDG - Hot-Dip Galvanized(1/2" - 4")</i> | | | | | |
| | | | | |  |
| 137 | 137 | 90 91 | B3188 | Standard U-Bolt |  |
| <i>137B - Plain Carbon Steel (1/2" - 4")</i> | | | | | |
| <i>137G - Electro-Galvanized (1/2" - 16")</i> | | | | | |
| <i>137HDG - Hot-Dip Galv (1/2" - 12")</i> | | | | | |
| <i>137SS - T-304 Stainless Steel (1/2" - 12")</i> | | | | | |


| EMPIRE | ANVIL | PHD | B-LINE | ITEM DESCRIPTION | IMAGE | | | | |
|---|-------|-----|--------|---------------------------------------|---|--|--|--|--|
| 153 | - | 905 | B3058 | Side Beam Connector |  | | | | |
| 153B - Plain Malleable Iron (3/8" - 1/2") | | | | |  | | | | |
| 153G - Electro-Galvanized (3/8") | | | | | | | | | |
| 167 | 167 | 170 | B3151 | Pipe Covering Protection Shield |  | | | | |
| 167G - Electro-Galvanized (Size 0 - 16) | | | | |   | | | | |
| 21L | 35 | 250 | B351L | C-Clamp With Locknut |  | | | | |
| 21LB - Plain Carbon Steel (3/8") | | | | | | | | | |
| 21LG - Electro-Galvanized (3/8"-1/2") | | | | | | | | | |
| 231 | - | 825 | - | Two Hole Pipe Strap |  | | | | |
| 231G - Electro-Galvanized (3/8" - 6") | | | | | | | | | |
| 231CT | - | - | - | Two Hole Pipe Strap for Copper Tubing |  | | | | |
| 231CT - Copper Gard (1/2" - 2") | | | | | | | | | |
| 233 | - | - | - | One Hole Pipe Strap |  | | | | |
| 233G - Electro-Galvanized (1/2") | | | | | | | | | |
| 239 | - | - | - | Hanger Strap, Perforated |  | | | | |
| 239G - Pre-Galvanized (20ga, 3/4" x 50' & 24ga, 3/4" x 10') | | | | | | | | | |
| 242 | - | - | - | Boca Safety Plate |  | | | | |
| 242G - Electro-Galvanized (15" x 8") | | | | | | | | | |





| EMPIRE | ANVIL | PHD | B-LINE | ITEM DESCRIPTION | IMAGE |
|---|-------|------------|---------|--|---|
| 272 | 181 | 470 | B3110 | Clevis Roller Hanger |  |
| 272G - Electro-Galvanized (4") | | | | | |
| | | | | |  |
| 310 | 69 | 151 | B3170 | Emlock™ Swivel Hanger |  |
| 310G - Electro-Galvanized (1/2" - 4") | | | | | |
| 310SS - T-304 Stainless Steel (1/2" - 6") | | | | | |
| | | | | |  |
| 310NFPA | 69 | 141 | B3170NF | Emlock™ Swivel Hanger For National Fire Protection |  |
| 310NF - Electro Galv - (2-1/2" - 4-1/2" [3/8" nut] 5" - 10" [1/2" nut]) | | | | | |
| 310NFPC - Plastic Coated (5" - 6") | | | | | |
| | | | | |  |
| 310CTI | CT-69 | 152 | B3170CT | Swivel Hanger for Copper Tubing (Imported) |  |
| 310CTI - Copper Gard (1/2" - 6") | | | | | |
| | | | | |  |
| 310PC | - | 153 | - | Emlock™ Swivel Hanger Plastic Coated |  |
| | | | | |  |
| 40HS | - | - | - | "Handy" Split Ring Hanger |  |
| | | | | |  |
| 41A | 128R | 940 941 | B3199 | Hanger Flange |  |
| 41AB - Plain Malleable Iron (3/8" - 1/2") | | | | | |
| 41AG - Electro-Galvanized (3/8" - 1/2") | | | | | |
| 41ACT - Copper Gard (3/8" - 1/2") | | | | | |
| 41ASSI - T-304 Stainless Steel (3/8") | | | | | |
| 41 | - | 510R | B3198R | Split Ring Hanger (Bolt Thread) |  |
| | | | | |  |
| 41H | 138R | 510R | B3198R | Split Ring Hanger (Hinge Design) |  |
| 41HB - Plain Malleable Iron (3/8" - 2") | | | | | |
| 41HG - Electro-Galvanized (3/8" - 4") | | | | | |

| EMPIRE | ANVIL | PHD | B-LINE | ITEM DESCRIPTION | IMAGE |
|---|---------|------------|----------|---|---|
| 41HCT | CT-138R | 512H | B3198HCT | Split Ring Extension Hanger, Hinge Design for Copper Tubing |  |
| 41HCT - Copper Gard (3/8" - 4") | | | | | |
| 428KT | - | - | - | Adjustable Pipe Saddle Support Kit |  |
| 428KTHDG - Hot Dip Galv (Size 2 - 10) | | | | | |
| 429KT | - | - | - | Adjustable Pipe Saddle Support with U-Bolt, Kit |  |
| 429KTHDG - Hot Dip Galv (Size 2 - 16) | | | | | |
| 50 | 261 | 550 551 | B3373 | Riser Clamp |  |
| 50B - Plain Carbon Steel (1/2" - 8") | | | | | |
| 50G - Electro-Galvanized (3/4" - 12") | | | | | |
| 50HDG - Hot-Dip Galv (2" - 8") | | | | | |
| 50SS - T-304 Stainless Steel (3/4" - 12") | | | | | |
| 50CTI | CT-121 | 552 | B3373CT | Riser Clamp for Copper Tubing (Imported) |  |
| 50CTI - Copper Gard (1/2" - 6") | | | | | |
| 50SA | - | - | - | Short Arm Riser Clamp for Light Commercial Use |  |
| 50SA - Plain Carbon Steel (1-1/2" - 6") | | | | | |
| 50SAG - Electro-Galvanized (1-1/2" - 6") | | | | | |
| 51 | 135 | 100 | B655 | Rod Coupling |  |
| 51B - Plain Carbon Steel (3/8") | | | | | |
| 51G - Electro-Galvanized (1/4" - 7/8") | | | | | |
| 51SS - T-304 Stainless Steel (3/8" Bulk) | | | | | |
| 52 | - | 130 | - | Round Steel Washer |  |
| 52B - Plain Finish (1/2") | | | | | |
| 52G - Electro Galv (3/8" - 7/8") | | | | | |
| 52SS - T-304 Stainless (3/8" - 3/4") Bulk | | | | | |

| EMPIRE | ANVIL | PHD | B-LINE | ITEM DESCRIPTION | IMAGE |
|---|----------|------|--------|--|-------|
| | | | | | |
| 53 | 206 | 920 | B3060 | Angle Bracket | |
| 53G - Electro-Galvanized (3/8") | | | | | |
| 54 | 146 | 20 | - | Continuous Threaded Rod | |
| 54G - Electro Galv (3/8"-3/4" x 6') | | | | | |
| 54SS - T304 Stainless (3/8" - 1/2" x 6') | | | | | |
| 56 | Hex Nut | 110 | - | Standard Hex Nut Packaged | |
| 56B - Plain Finish (3/8" - 5/8") | | | | | |
| 56G - Electro Galv (3/8" - 7/8") | | | | | |
| 56SS - T-304 Stainless (3/8" - 3/4") Bulk | | | | | |
| | | | | | |
| 60 | - | - | - | 1/4" Beam Clamp | |
| 60B - Plain Finish (1/4") | | | | | |
| | | | | | |
| 61 | 93 94 | 360 | B3033 | Wide Mouth Beam Clamp | |
| 61B - Plain Finish (3/8" - 5/8") | | | | | |
| 61G - Electro Galv (3/8" - 3/4") | | | | | |
| | | | | | |
| 62 | 92 | 350 | B3034 | Small Mouth Beam Clamp | |
| 62B - Plain Finish (3/8" - 3/4") | | | | | |
| 62G - Electro Galv (3/8" - 7/8") | | | | | |
| 62SS - T304 Stainless (1/4" - 1/2") | | | | | |
| 63 | AS85 | - | B444 | Electrical Rod Support Clamp | |
| 63G - Electro Galv (1/4") | | | | | |
| 63SX - T-316 Stainless (1/4") | | | | | |
| 7001 | AS200EH | 1011 | B22SH | 1-5/8"x1-5/8" Slotted 12ga Strut Channel | |
| 7001SS- T304 Stainless (12ga, 10') | | | | | |
| 7001SX- T316 Stainless (12ga, 10') | | | | | |

| EMPIRE | ANVIL | PHD | B-LINE | ITEM DESCRIPTION | IMAGE |
|---|---------------------|-------------------|---|--|---|
| 7101 | AS210EH | 1111 | B24SH | 1-5/8"x1-5/8" Slotted 14ga Strut Channel |  |
| <i>7101SS - T304 Stainless (14ga, 10")</i> | | | | | |
| 8000 | AS-NS | 3001 - 3011 | N/WO Series | Strut Nut |  |
| <i>8000Z - Zinc Plated (3/8" - 5/8")</i> | | | | | |
| 8100 | AS-RS | 3101 - 3111 | N221 - N278 | Spring Strut Nut |  |
| <i>8100Z - Zinc Plated (1/4" - 3/4")</i> | | | | | |
| <i>8100SX - T-316 Stainless (3/8")</i> | | | | | |
| 8200 | AS1100AS | 2001 - 2016 | B2007PA - B2132PA | Strut Pipe Clamp Assembled |  |
| <i>8200Z - Zinc Plated (3/8" - 12")</i> | | | | | |
| <i>8200SS - T304 Stainless (1/2" - 10")</i> | | | | | |
| 8250 | AS1200AS Series | 2401 - 2461 | B2020PA (ZN) - B2128PA (ZN) | Strut Pipe Clamp Assembled (O.D. Size) |  |
| <i>8250Z - Zinc Plated (3/4" - 5-1/2")</i> | | | | | |
| 8300 | AS1200CDL Series | 2302 - 2314 | B2025PA (DCU) - B2110PA (DCU) | Strut Pipe Clamp Assembled (Copper Tube) |  |
| <i>8300CT - Copper Gard (1/2" - 6")</i> | | | | | |
| 8350 | AS1300AS Series | 2101 - 2107 | B2207PA - B2213PA | Universal Pipe Clamp |  |
| <i>8350Z - Zinc Plated (1/2" - 2")</i> | | | | | |

| EMPIRE | ANVIL | PHD | B-LINE | ITEM DESCRIPTION | IMAGE |
|---|----------------|----------------------------------|--------------------------------|---|---|
| 8500 | ASOO4OD - | 2501 - | BVT025 - | Cushion Clamp (O.D. Size) |  |
| 8500Z - Zinc Plated (1/4" - 3-1/8") | AS106P | 2514 | BVT412 | | |
| 8500SS - T-304 Stainless (5/8" - 1-5/8") | | | | | |
| 9022CA | AS603 | 5112 | B230 | Two Hole Corner Angle |  |
| 9022CAZ - Zinc Plated (1-7/8"x2") | | | | | |
| 9023CA | AS604 | 5110 (1-5/8" x 2-1/4") | B101 | Two Hole Corner Angle (Zinc) |  |
| 9023CAZ - Zinc Plated (1-5/8"x2-15/16") | | | | | |
| 9030CA | AS607 | 5130 (3-1/2" x 4-3/16") | B104 | Four Hole Corner Angle (Zinc) |  |
| 9030CAZ - Zinc Plated (3-1/2"x41/8") | | | | | |
| 9030CAs - T304 Stainless(3-1/2"x41/8") | | | | | |
| 9031CA | - | 5131 (3-13/16 x 3-7/8) | B115 (3-3/4" x 3-15/16") | Four Hole Corner Angle (Zinc) |  |
| 9031CAZ - Zinc Plated (3-3/4"x 3-7/8") | | | | | |
| 9081BC | AS686 | 7040 | B355 | Strut Beam Clamp, Notched |  |
| 9081BCZ - Zinc Plated (2-3/4"x1/4") | | | | | |
| 9086BC | AS2651 | 7070 | B441-22 | Strut U-Bolt Beam Clamp |  |
| 7505RT | HBM-5-H-164-PG | - | DB5 | Mini Rooftop Support Block with 13/16" X 1-5/8" Strut Channel |  |
| 7505RT7200Z - Recycled Rubber Base w/ Pre-Galvanized Strut Channel | | | | | |

| EMPIRE | ANVIL | PHD | B-LINE | ITEM DESCRIPTION | IMAGE |
|--|-----------------|--------|---------|--|---|
| 7510RT | HBS-10-H-164-PG | SMSB13 | DB10 | Rooftop Support Block with 13/16" X 1-5/8" Strut Channel |  |
| <i>7510RT17200Z - Recycled Rubber Base w/ Pre-Galvanized Strut Channel</i> | | | | | |
| 9089PB | AS3025 | - | - | Post Base (4"x6") |  |
| <i>9089PBZ - Zinc Plated (1-5/8"x1-5/8" Strut)</i> | | | | | |
| 9093PB | AS3033 | 6020 | B280 | Post Base Diagonal |  |
| <i>9093PBZ - Zinc Plated (1-5/8"x1-5/8" Strut)</i> | | | | | |
| 9094PB | AS3033SQ | 6025 | B280SQ | Post Base (6"x6") |  |
| <i>9094PBZ - Zinc Plated (1-5/8"x1-5/8" Strut)</i> | | | | | |
| <i>9094SS - T-304 Stainless (1-5/8"x1-5/8" Strut)</i> | | | | | |
| 9200 | - | 6132 | B409-12 | Single Channel Reversible Bracket |  |
| <i>9200Z - Zinc Plated (12")</i> | | | | | |